

# WA Bylaws

2015

# 3D Dyr

Book 2, Chapter 9, Article 9.1.1.5

For small animals (group size "4"), the organisers shall place two animal targets next to each other. The left placed athlete to shoot on that target shoots on the left target, the right placed athlete on the right target.

**For all other animal groups 1,2,3, the organiser may wish to add an extra animal target.**

# 3D Afstande

## Book 2, Chapter 9, Article 9.1.1.7.3

The 3D targets can be divided into 4 groups based on the size of the 11/10/8-ring.

|              | <b>Group 1</b>   | <b>Group 2</b> | <b>Group 3</b> | <b>Group 4</b> |
|--------------|--|----------------|----------------|----------------|
| 11/10/8-size | >250mm   | 201-250mm      | 150-200mm      | <150mm         |
| Red          | Targets from all Groups to be placed between 10-45 meters. |                |                |                |
| Blue         | Targets from all Groups to be placed between 5-30 meters.  |                |                |                |

4-8 targets from each of the above mentioned sized 11/10/8 3D targets are to be used in each course.

# Recurve udstyr


## Book 3, Chapter 11, Article 11.1.10.1

- Including arm guard, chest protector, bow sling and belt or ground quiver. Foot markers may not protrude more than 1cm from the ground. Devices to raise a foot or part thereof, attached or independent of the shoe, are permitted provided that the devices do not present an obstruction to other athletes at the shooting line position or protrude more than 2cm past the footprint of the shoe. Also permitted are **rubberized bow limb dampening devices**. Wind indicators (non-electric or non-electronic) may be attached to the equipment used on the shooting line (e.g. light ribbons) electronic wind indicators may be used behind the waiting line.
-

# Instinktiv bue - pilehylde

## Book 4, Chapter 22, Article 22.4.3.1

The arrow rest can be a simple plastic industry standard glued rest, **a feather rest as supplied by the manufacturer** or the athlete can use the bow shelf, in which case it may be covered with **any type of material (on shelf only)**. **The vertical part of the sight window may be protected by material which shall not raise more than 1 cm above the resting arrow or be thicker than 3 mm, measured from the riser directly adjacent to the material.** No other types or arrow rests shall be allowed.



---

---

# Langbue definition

- **Book 4, Chapter 22, Article 22.5.1**
  - The bow shall correspond to the traditional form (**shape**) of a longbow (or American Flat Bow) conforming to a limb design that when strung the bowstring shall not touch any other part of the bow but the string nocks. **The bow may be a two piece take-down, having two sections of similar length (take-down within the grip/ arrow rest area),** and may be made from any material or combination of materials. The shape of the grip (grip area only) is not restricted and centershot is allowed. The bow shall be free from protrusions, sights or sight marks, marks or blemishes or laminated pieces (within the bow window area) which could be of use in aiming.
-





# Langbue pilehylde

- **Book 4, Chapter 22, Article 22.5.3**
- Arrow rest. If the bow has an arrow shelf, that shelf may be used as an arrow rest and it may be covered with **any type of material (on the shelf only)**. **The vertical part of the sight window may be protected by material which shall not rise more than 1 cm above the resting arrow or be thicker than 3 mm, measured from the riser directly adjacent to the material.**

# 3D Skydeposition

- **Book 4, Chapter 23, Article 23.1.3**
- In Field and 3D every shooting position shall have a shooting peg or mark to accommodate at least two athletes. If two athletes are shooting simultaneously, the athlete with the lowest competitor number shall shoot from the left peg (or left side of the peg if only one), the athlete with the higher number shall shoot from the right peg..